

V A S K I M U T A T Á S										
										S18036
a										
Harta, Községi ház építési munkáihoz (ALAPOZÁS)										
Jel	db	át- mérő	hossz/db m	Á t m é r ő n k é n t i v a s h o s s z ( m )						
				6	8	10	12	14	16	20
<b>TG 1 talpgerenda</b>										
hosszvas	6	16	98,00						588	
kengyel	490	8	1,64		803,6					
<b>TG 2 talpgerenda</b>										
hosszvas	6	16	15,00						90	
kengyel	75	8	1,64		123					
<b>TG 3 talpgerenda</b>										
hosszvas	30	16	7,00						210	
kengyel	175	8	1,64		287					
<b>TG 4 talpgerenda</b>										
hosszvas	5	16	19,00						95	
kengyel	78	8	1,12		87,36					
<b>TG 5 talpgerenda</b>										
hosszvas	7	12	5,60				39,2			
kengyel	28	8	1,12		31,36					
<b>TG 6 talpgerenda</b>										
hosszvas	7	12	4,60				32,2			
kengyel	23	8	1,12		25,76					
<b>TG 7 talpgerenda</b>										
hosszvas	7	12	2,50				17,5			
kengyel	12	8	1,12		13,44					
<b>TG 8 talpgerenda</b>										
hosszvas	42	12	3,00				126			
kengyel	90	8	1,12		100,8					
<b>TG 9 talpgerenda</b>										
hosszvas	14	12	4,50				63			
kengyel	46	8	1,12		51,52					
<b>TG 10 talpgerenda</b>										
hosszvas	7	12	2,65				18,55			
kengyel	13	8	1,12		14,56					
<b>TG 11 talpgerenda</b>										
hosszvas	6	12	2,00				12			
kengyel	10	8	1,12		11,2					
Vashossz átmérőnként:					1549,6		308,45		983,00	
Vastömeg (kg/fm):				0,22	0,395	0,617	0,888	1,208	1,578	2,466
Vastömeg átmérőnként:					612,092		273,9036		1551,17	
Összes vastömeg:					<b>2437,17</b>	kg				